

# MEDIA HARDWARE

Bene Media – intelligent media integration. Innovative technology and a sleek design for presenting, exchanging information and communicating are must-haves in today's communication areas. They are systematically integrated into Bene products and almost invisible.

Bene Media is a concept that can be adapted and extended to suit individual customer requirements, offering a modular media control system. It is a comprehensive package featuring state-of-the-art media and presentation technology, including furniture, space, technology and aesthetics.





**bene**

INSPIRING OFFICES. SINCE 1790.



# DISPLAYS

## POSSIBLE MEASUREMENTS



## DISPLAYS

### LARGE FORMAT DISPLAYS

Bene exclusively sells professional displays made by NEC. NEC is a provider of professional, high quality solutions with an extensive world-wide warranty coverage. Professional displays feature a high quality panel designed for use in environments that require the highest image quality and reliability.

- **Operating time:** 18/7; off the shelf TV's are designed to operate 4-6 hours per day. In most cases, the warranty also becomes invalid if the user allows the devices to run for longer.
- **Brightness:** Depending on the ambient light levels, a minimum brightness level is required to ensure sufficient visibility. 350 - 500 cd/m<sup>2</sup> brightness output enables high legibility even in bright environments.
- **Haze level (reflections):** Anti-reflective surfaces reduce reflection to a minimum and ensure high legibility even under changing lighting conditions.
- **High image uniformity and colour fastness**
- **High-quality panels:** Metal housing, dust protection and temperature management guarantee a long service life when performance is kept constant. For example, still images can be played back for a long time without being burned in.
- **Integrated SoC (System on Chip):** with 13-CTS Android support
- **Connections and operation:** Multiple connections (USB-C, HDMI, SPDIF, Ethernet, RS232) enable integration into AV systems for centralised maintenance and control.
- **3 year warranty (extension to 5 years possible)**
- **8/5 helpdesk:** Service information (contact details for the respective areas at <https://www.nec-display-solutions.com/p/de/de/support/hotline.xhtml>)
- **Warranty:** In the event of a warranty claim, NEC will provide a substitute or pick the unit up for repair and return it when it is ready.



## DISPLAYS

The narrow frame and extremely slim design perfectly match today's modern premises.

A native 4K resolution and up to 500 cd/m<sup>2</sup> brightness ensures that the contents remain perfectly legible in environments with adjustable lighting, as does the anti-reflective coating in normal lighting conditions. Since the display can be installed in portrait or landscape format, it can be used for both corporate huddle spaces and digital signage applications.

The devices are equipped with an integrated media player that allows content to be played directly from a USB stick for stand-alone applications. The displays have a metal housing with a narrow unobtrusive frame and connection options that are designed to meet any possible future requirements, ensuring that input signals from different sources can be processed.

---

### NEC ME-SERIES

Series with 4K resolution, 18/7 operation and 400 cadela brightness at an attractive price.  
For detailed technical information please go to [www.sharpnecdisplays.eu](http://www.sharpnecdisplays.eu)

#### General

- Resolution: 3.840 x 2.160 px
- Integrated speakers: 2 x 10W
- Colour: anthracite
- Haze level: Pro (25)
- Orientation: portrait, landscape
- Video input: 1x USB-C, 3x HDMI
- Audio input: 1x USB-C, 3x HDMI




#### NEC MultiSync LCD ME432

- Suitable for Media Board, NOOXS, NOOXS Think Tank, FRAME\_S Board, PORTS, POINTS, PIXEL Rack Media, Panel Rack
- Diagonal: 43" TFT (108 cm)
- Width: 964,6 mm, height: 552,5 mm, depth: 62 mm
- Weight: 9,4 kg




#### NEC MultiSync LCD ME502

- Suitable for Media Board, NOOXS, NOOXS Think Tank, FRAME\_S Board, PORTS, POINTS, PIXEL Rack Media, Panel Rack
- Diagonal: 50" TFT (125,7 cm)
- Width: 1.118,6 mm, height: 639,2 mm, depth: 62 mm
- Weight: 11,70 kg



#### NEC MultiSync LCD ME552

- Suitable for Media Board, NOOXS, NOOXS Think Tank, FRAME\_S Board, PORTS, PIXEL Rack Media, POINTS, Panel Rack
- Diagonal: 55" TFT (138,8 cm)
- Width: 1.233 mm, height: 703,5 mm, depth: 62 mm
- Weight: 13,2 kg




#### NEC MultiSync LCD M651

- Suitable for FRAME\_S Board, PORTS, PIXEL Rack Media, POINTS, Panel Rack
- Diagonal: 65" TFT (163,9 cm)
- Width: 1.458,4 mm, height: 836,2 mm, depth: 62,6 mm
- Weight: 37,10 kg

## DISPLAYS

### NEC WD SERIES

For detailed technical information please go to [www.nec-display-solutions.com](http://www.nec-display-solutions.com).



### NEC MultiSync LCD M321

- Suitable for PARCS American Diner
- Diagonal: 32" (80 cm)
- Resolution: 1.920 x 1.080 px
- Contrast: 1.100:1
- Integrated speakers: 5 W + 5 W
- Width: 726,5 mm, height: 425,4 mm, Depth: 66,5 mm
- Weight: 6,3 kg
- Colour: black
- Haze level: Pro (28) %
- Orientation: portrait, landscape
- Input: 1 x DisplayPort (HDCP); 2 x HDMI (HDCP)

## DISPLAY ACCESSORIES

### WALL-MOUNTED BRACKETS

For mounting on existing walls or in combination with various Bene products from SMS and Chief. The range extends from simple hanging devices to folding mechanisms for better accessibility of the display connections.



#### Chief RMF3

- max. load capacity: 56,7 kg, 32" - 65" displays
- width: 559 mm, height: 487 mm, depth: 25 mm
- VESA: max. 550 x 450 mm
- colour: black



#### Chief RMT3

- max. load capacity: 56,7 kg, \*32" - 65" displays
- width: 559 mm, height: 487 mm, depth: 52 mm
- VESA: max. 960 x 650 mm
- tilt angle: - 12°
- levelling: 19 mm
- colour: black

\*the bracket is visible on displays under 43"

### USE

#### Displays

#### Wall-mounted bracket

	Chief RMF3	Chief RMT3
NEC MultiSync LCD ME432	•	•
NEC MultiSync LCD ME502	•	•
NEC MultiSync LCD ME552	•	•
NEC MultiSync LCD M651	•	•
NEC MultiSync M321	•	•

### FLOOR STAND

#### SMS Flatscreen X-FH T 1455 WS

- Makes it easy to move around and run the cables
- Suitable for TFT displays up to 55"
- Column height: 1,455 mm
- Angle adjustment: +12°/-3°
- Load capacity: 100 kg
- Including universal holder (X H Unislide)
- Colour: silver/white



#### SMS Func Mobile

- Wheels, lockable
- adjustable from a minimum height from 1170 mm to max. 1670 mm
- Suitable for displays of 116,8 cm (from 46")
- Load capacity: 120 kg
- Colour: black



